

Uniclass L325:P4142		EPIC F631:X442
Cl/Sfb	(31.9)	Hh2
June 2014		

Lintels

Trade price list

Effective 1st June 2014



CATNIC LINTELS TRADE PRICE LIST

All prices shown in GBP.



For advice on the most appropriate lintel for wall constructions, loadings, products not listed in this price list or for further technical details, please contact the Catnic Technical Services department.

To order or enquire about any Catnic product, please call Customer Services on **029 2033 7900** or fax **029 2086 7796**.

A small surcharge will be levied on all orders less than £850 net value.

All dimensions are in millimetres (mm).

Lintel availability (all lintels):
Standard stocked products 3-5 working days. Non-stocked products 6 working days unless stated otherwise.

www.catnic.com



CAVITY WALL LINTELS

100-115mm Inner Leaf

50-65mm Cavity Wall



(mm)	CG50/100	CH50/100	CX50/100
750	-	-	-
900	72.16	82.16	121.28
1050	-	94.64	142.19
1200	93.52	106.49	161.12
1350	-	121.73	182.53
1500	120.87	145.26	199.83
1650	-	176.22	221.12
1800	150.24	196.67	232.43
1950	-	226.08	260.75
2100	172.51	257.78	279.60
2250	-	271.37	315.13
2400	211.46	320.04	332.17
2550	-	-	345.27
2700	240.01	-	389.29
2850	-	-	426.40
3000	332.29	-	450.04
3300	370.93	-	518.40
3600	407.03	-	564.49
3900	-	-	649.87
4200	-	-	721.39
4575	-	-	808.97
4800	-	-	847.84

70-85mm Cavity Wall



(mm)	CG70/100	CH70/100	CX70/100
750	58.62	-	-
900	69.99	82.17	121.76
1050	81.71	96.28	149.60
1200	93.39	109.31	169.19
1350	105.01	124.18	184.69
1500	116.66	156.77	202.24
1650	131.35	190.30	223.91
1800	146.03	206.43	235.29
1950	-	230.66	265.91
2100	167.01	258.87	274.50
2250	-	279.05	320.98
2400	198.00	322.16	370.66
2550	-	-	394.79
2700	228.51	-	422.79
2850	-	-	445.19
3000	325.18	-	470.10
3300	360.85	-	548.07
3600	393.57	-	599.01
3900	-	-	666.06
4200	-	-	744.56
4575	-	-	812.73
4800	-	-	862.33

90-105mm Cavity Wall



(mm)	CG90/100	CH90/100	CX90/100
750	62.13	-	-
900	72.78	99.45	132.11
1050	83.22	116.63	152.91
1200	97.04	133.32	173.42
1350	109.22	149.91	194.06
1500	121.33	172.14	214.71
1650	133.71	194.26	232.33
1800	146.03	211.45	255.45
1950	164.30	234.25	287.65
2100	173.70	262.21	308.21
2250	197.29	305.51	331.34
2400	209.44	327.47	370.18
2550	230.10	-	429.39
2700	250.79	-	455.01
2850	300.62	-	479.43
3000	326.26	-	513.81
3300	369.81	-	588.85
3600	405.84	-	642.43
3900	-	-	716.47
4200	-	-	821.53
4575	-	-	921.76
4800	-	-	983.22



Contact Catnic
Technical Services on

029 2033 7900



Follow us on Facebook
www.facebook.com/catnicuk



Find us on Twitter
www.twitter.com/catnicuk

**NEXT
DAY
DELIVERY
available**
Terms and conditions apply

CAVITY WALL LINTELS

100-115mm Inner Leaf

110-125mm Cavity Wall



(mm)	CG110/100	CH110/100	CX110/100
750	71.56	-	-
900	85.85	134.52	159.32
1050	100.16	156.93	185.87
1200	114.48	179.35	212.42
1350	128.78	201.77	238.72
1500	143.08	224.19	265.53
1650	196.74	246.59	292.08
1800	214.64	269.02	318.62
1950	244.85	348.30	345.17
2100	263.69	375.10	371.73
2250	398.85	401.87	398.28
2400	425.45	428.67	477.93
2550	452.03	-	507.80
2700	478.63	-	537.67
2850	505.21	-	567.55
3000	530.91	-	597.41
3300	584.99	-	711.73
3600	638.17	-	798.23
3900	-	-	911.21
4200	-	-	993.02
4575	-	-	1,083.16
4800	-	-	1,134.06

130-145mm Cavity Wall



(mm)	CG130/100	CH130/100	CX130/100
750	93.39	-	-
900	112.07	137.79	163.92
1050	130.75	160.77	191.24
1200	149.42	183.72	218.56
1350	168.09	206.69	245.88
1500	186.78	229.65	273.20
1650	205.44	252.62	300.52
1800	224.12	275.57	327.84
1950	255.15	357.78	355.15
2100	274.77	385.29	382.47
2250	410.72	412.81	461.01
2400	438.11	440.33	491.74
2550	465.49	-	522.47
2700	492.87	-	553.23
2850	520.26	-	583.95
3000	547.63	-	614.68
3300	602.39	-	812.90
3600	657.16	-	886.79
3900	-	-	960.68
4200	-	-	1,034.58
4575	-	-	1,126.96
4800	-	-	1,182.38

150-165mm Cavity Wall



(mm)	CG150/100	CH150/100	CX150/100
750	97.36	-	-
900	116.82	143.27	167.60
1050	136.29	167.13	195.54
1200	155.75	191.01	223.47
1350	175.22	214.89	251.41
1500	194.68	238.77	279.33
1650	214.15	262.63	307.27
1800	233.63	286.52	335.20
1950	261.31	369.62	363.14
2100	281.42	398.05	391.06
2250	420.23	426.48	471.37
2400	448.24	454.91	502.79
2550	476.25	-	534.22
2700	504.27	-	565.64
2850	532.27	-	597.06
3000	560.29	-	628.49
3300	616.31	-	831.89
3600	672.35	-	907.51
3900	-	-	983.13
4200	-	-	1,058.76
4575	-	-	1,153.29
4800	-	-	1,210.01

140-150mm Wide Outer Leaf

Cavity 50mm 75mm 100mm



(mm)	CN42C	CN99/124C	CN99/1644C
750	94.58	94.58	94.58
900	112.86	112.86	112.86
1050	132.37	132.37	132.37
1200	151.13	151.13	151.13
1350	169.58	169.58	169.58
1500	188.19	188.19	188.19
1650	207.86	207.86	207.86
1800	226.81	226.81	226.81
1950	249.65	249.65	249.65
2100	263.46	263.46	263.46
2250	349.74	349.74	349.74
2400	376.76	376.76	376.76
2550	400.35	400.35	400.35
2700	423.84	423.84	423.84
2850	447.49	447.49	447.49
3000	471.14	471.14	471.14
3300	518.07	518.07	518.07
3600	572.79	572.79	572.79
3900	749.57	749.57	749.57
4200	807.02	807.02	807.02
4575	-	-	-
4800	-	-	-

Closed Eaves

Cavity 50-85mm 90-125mm 50-75mm



(mm)	CGE50/100	CGE90/100	CN55A	CN55C
750	-	42.03	-	-
900	47.86	50.80	56.20	139.48
1050	-	61.38	-	-
1200	62.40	67.39	73.26	185.92
1350	-	75.85	-	-
1500	79.77	85.53	93.63	232.47
1650	-	95.12	106.39	255.66
1800	108.35	116.95	133.39	278.91
1950	-	-	146.79	302.13
2100	131.79	137.09	154.67	325.39
2250	-	-	-	-
2400	177.90	195.27	204.90	371.87
2550	-	-	-	-
2700	199.74	219.55	230.52	418.37
2850	-	-	-	-
3000	-	-	-	-
3300	-	-	-	-
3600	-	-	-	-
3900	-	-	-	-
4200	-	-	-	-
4575	-	-	-	-
4800	-	-	-	-

Extreme Loads

50mm 70mm



	CXL240	CXL265
	412.31	446.93

	90mm	110mm

	CXL290	CXL310
	516.20	583.85

	130mm	150mm

	CXL330	CXL350
	602.19	620.54

Price £/metre.
Product available in 6-10 working days.

CAVITY WALL LINTELS

125-140mm Wide Inner Leaf

50-65mm Cavity Wall



(mm)	CG50/125	CH50/125	CX50/125
750	-	-	-
900	69.99	94.40	131.19
1050	-	121.33	153.05
1200	93.39	132.55	176.16
1350	-	152.21	196.77
1500	120.01	175.86	218.63
1650	-	197.86	234.32
1800	149.05	218.26	252.39
1950	-	258.67	273.28
2100	172.07	278.95	304.83
2250	-	301.43	346.80
2400	209.78	321.59	382.06
2550	-	-	425.74
2700	240.01	-	475.98
2850	-	-	524.55
3000	331.53	-	580.96
3300	-	-	639.16
3600	-	-	697.25
3900	-	-	754.81
4200	-	-	838.48
4575	-	-	898.77
4800	-	-	958.41

70-85mm Cavity Wall



(mm)	CG70/125	CH70/125	CX70/125
750	74.62	-	-
900	89.11	122.68	134.20
1050	107.61	143.55	165.22
1200	117.11	168.31	180.31
1350	137.10	201.52	211.55
1500	147.38	224.10	228.43
1650	183.61	253.46	263.82
1800	202.27	276.70	282.78
1950	-	324.57	328.39
2100	238.18	348.49	359.70
2250	-	376.81	413.83
2400	328.84	416.61	448.30
2550	-	-	476.30
2700	386.10	-	504.31
2850	-	-	558.02
3000	537.60	-	601.51
3300	-	-	662.49
3600	-	-	744.06
3900	-	-	798.16
4200	-	-	875.37
4575	-	-	943.04
4800	-	-	996.61

90-105mm Cavity Wall



(mm)	CG90/125	CH90/125	CX90/125
750	82.99	-	-
900	99.59	143.55	147.98
1050	116.29	169.63	184.01
1200	130.77	187.03	204.14
1350	139.32	216.79	232.47
1500	163.07	237.19	283.35
1650	187.90	334.04	334.33
1800	206.32	360.26	364.75
1950	-	390.00	395.13
2100	244.51	424.11	433.37
2250	-	455.91	464.36
2400	345.39	486.31	495.28
2550	-	-	526.25
2700	399.66	-	564.87
2850	-	-	589.93
3000	574.82	-	641.86
3300	-	-	715.45
3600	-	-	796.86
3900	-	-	850.12
4200	-	-	911.27
4575	-	-	989.02
4800	-	-	1,036.66

125-140mm Wide Inner Leaf

110-125mm Cavity Wall



(mm)	CG110/125	CH110/125	CX110/125
750	84.40	-	-
900	101.29	143.76	165.76
1050	118.17	167.72	193.38
1200	135.06	191.69	221.00
1350	151.94	215.64	248.63
1500	168.82	239.61	322.29
1650	191.90	341.86	354.52
1800	212.76	372.94	386.74
1950	247.68	-	418.98
2100	295.05	435.08	451.20
2250	384.40	466.17	483.43
2400	432.83	497.25	598.53
2550	459.90	-	635.93
2700	486.94	-	673.35
2850	514.00	-	710.76
3000	541.05	-	748.17
3300	-	-	848.38
3600	-	-	925.52
3900	-	-	1,002.64
4200	-	-	1,079.76
4575	-	-	1,176.17
4800	-	-	1,234.02

130-145mm Cavity Wall



(mm)	CG130/125	CH130/125	CX130/125
750	123.78	-	-
900	126.60	169.59	230.35
1050	146.96	197.85	268.75
1200	167.32	226.11	307.13
1350	186.86	254.37	345.52
1500	206.39	282.64	383.90
1650	229.47	310.90	422.27
1800	252.54	339.17	460.68
1950	278.82	429.84	499.07
2100	330.25	462.92	537.47
2250	419.68	495.98	575.84
2400	447.72	529.04	614.24
2550	511.20	-	652.62
2700	541.27	-	691.02
2850	571.33	-	729.41
3000	601.36	-	767.80
3300	-	-	873.68
3600	-	-	953.13
3900	-	-	1,032.55
4200	-	-	1,1

INTERNAL SOLID WALLS

Cavity	75mm			100mm			140mm		
(mm)	CN92	CN102	CN100	BSD100	BHD100	BXD100	BSD140	BHD140	BXD140
750	-	-	-	58.09	67.27	103.35	-	-	-
900	-	-	-	63.75	73.82	124.03	-	-	-
1050	12.62	15.96	38.97	69.90	80.94	144.69	75.60	85.05	152.25
1200	14.27	17.62	48.42	71.71	83.03	168.54	86.40	97.20	174.00
1350	-	-	-	76.09	88.10	184.36	97.20	109.35	195.75
1500	-	-	-	80.56	95.25	201.29	108.00	121.50	217.50
1650	-	-	-	102.02	205.44	268.60	118.80	231.83	281.33
1800	-	-	-	111.61	220.34	293.02	129.60	252.90	306.90
1950	-	-	-	121.46	228.92	317.44	140.40	273.98	332.48
2100	-	-	-	127.56	246.53	341.86	151.20	295.05	358.05
2250	-	-	-	151.02	249.09	347.30	167.34	316.13	383.63
2400	-	-	-	161.15	265.65	375.22	178.62	337.20	409.20
2550	-	-	-	174.53	282.25	376.58	189.83	358.28	434.78
2700	-	-	-	184.61	298.86	381.39	201.24	379.35	460.35
2850	-	-	-	304.34	384.38	-	400.43	440.33	-
3000	-	-	-	320.45	398.28	-	421.50	463.50	-
3300	-	-	-	353.80	445.07	-	463.65	509.85	-
3600	-	-	-	387.02	485.53	-	505.80	556.20	-
3900	-	-	-	518.97	907.84	-	602.55	1,018.72	-
4200	-	-	-	558.89	977.67	-	648.90	1,097.07	-
4575	-	-	-	608.79	1,063.15	-	706.84	1,195.06	-
4800	-	-	-	626.73	1,117.33	-	741.60	1,253.83	-

EXTERNAL SOLID WALLS

	Exterior Solid Wall: 200 and 215mm			Fairface brick: 215mm		
(mm)	CN71A	CN71C	CN81B	CN81C	CN50C	CN51C
750	76.46	-	-	-	76.46	-
900	91.81	153.15	-	-	91.81	-
1050	106.94	178.67	-	-	106.94	-
1200	118.57	204.19	-	-	118.57	-
1350	137.17	229.69	-	-	137.17	-
1500	155.29	255.25	-	-	155.29	-
1650	171.37	280.75	-	-	171.37	-
1800	187.46	306.27	-	-	187.46	-
1950	193.10	331.80	-	-	-	193.10
2100	218.44	-	366.00	454.96	-	218.44
2250	255.80	-	371.76	487.42	-	255.80
2400	272.04	-	396.48	499.30	-	272.04
2550	281.19	-	421.29	516.54	-	281.19
2700	297.63	-	437.91	530.25	-	297.63
2850	-	-	446.65	573.18	-	-
3000	-	-	458.27	602.59	-	-
3300	-	-	478.79	623.62	-	-
3600	-	-	540.63	677.15	-	-
3900	-	-	-	730.88	-	-
4200	-	-	-	775.57	-	-
4575	-	-	-	812.98	-	-
4800	-	-	-	866.53	-	-

SINGLE LEAF

	102mm Exterior Wall		
(mm)	MBA	ANG	CCS
750	26.13	-	41.70
900	-	41.83	49.70
1050	-	48.79	58.33
1200	-	55.66	66.43
1350	46.95	62.63	74.98
1500	-	69.64	83.21
1650	-	86.17	91.44
1800	-	93.97	99.82
1950	-	101.70	136.93
2100	-	110.82	147.45
2250	-	143.87	158.00
2400	-	153.23	168.52
2550	-	222.52	238.73
2700	-	235.65	252.78
2850	-	259.21	266.82
3000	-	285.14	280.86
3300	-	397.58	494.23
3600	-	433.73	539.17
3900	-	-	584.10
4200	-	-	629.02
4575	-	-	685.18
4800	-	-	718.89

Please note: Prices shown in italics are non-stocked products and are available in 6 working days.

TIMBER FRAME

Cavity	50-60mm	70-80mm	90-100mm
(mm)	CTF5	CTF7	CTF9
750	25.70	26.95	31.88
900	30.68	32.34	37.65
1050	35.99	37.70	44.20
1200	41.12	43.07	50.60
1350	48.37	61.10	57.35
1500	52.96	67.89	65.79
1650	65.55	80.98	80.14
1800	71.59	88.35	89.77
1950	80.63	95.71	101.56
2100	88.40	103.08	109.39
2250	108.08	110.45	124.42
2400	118.57	117.80	144.92
2550	128.81	180.97	166.67
2700	137.67	191.65	176.71
2850	181.59	202.27	222.25
3000	191.19	212.91	233.97
3300	212.63	252.36	335.84
3600	318.02	275.29	366.38
3900	344.62	326.41	452.08
4200	371.16	351.55	486.86
4575	397.59	382.90	530.32
4800	417.96	401.75	556.41

Heavy duty CTF's are available on request. All timber frame lintels must be fixed using restraint clips which are supplied free of charge.

ARCH LINTELS

Standard Semi-circular Arch Lintels				
CCA600	CCA630	CCA900	CCA915	CCA1200
271.85	281.71	370.95	376.07	471.70
CCB600	CCB630	CCB900	CCB915	CCB1200
289.32	299.87	394.94	400.41	502.40

Product available in 5 working days.

Arch Centres				
Code	Lintel	Structural Opening (mm)	Rise £/each (mm)	£/each (mm)
ACA0475	475	450-500	75	60.76
ACA0625	625	600-650	75	68.29
ACA0675	675	650-700	75	74.23
ACA0875	875	850-900	75	79.87
ACA0925	925	900-950	75	82.48
ACA1075	1075	1050-1100	75	88.81
ACA1225	1225	1200-1250	75	95.40
ACA1375	1375	1350-1400	75	103.36
ACA1475	1475	1450-1500	75	111.85
ACA1625	1625	1600-1650	75	120.75
ACA1775	1775	1750-1800	75	130.21
ACB2125	2125	2100-2150	150	201.12
ACB2325	2325	2300-2350	150	221.67
ACB2425	2425	2400-2450	150	221.68

ACA0875 is made to order and available in 10-15 working days.

Supplied in white. Made under licence. British Patent No. 2063953.

Note: ACA = 75mm rise, ACB = 150mm rise.

SPECIAL LINTELS

A range of exciting shapes for unique designs and feature brickwork to inspire today's architects and builders.

Prices available on application. All made to order lintels are available in 10 working days from receipt of order and approved drawing.

Examples



Parabolic Arch Lintel Bull's Eye Lintel Curved On Plan Lintel

STAINLESS STEEL LINTELS

All galvanised steel lintel products shown in the current lintel brochure are available in stainless steel. Special lintels are also available in stainless steel. Prices available on application.

STEELWORK


Universal Beams, Universal Channels and Parallel Flange Channels available for when loading conditions exceed our standard range of lintel. Prices available on application.

JULIET BALCONIES

A standard range of Juliet Balconies are available from Catnic. Juliet Balconies are commonly used to provide a safety barrier in front of French windows. Prices available on application.

ACCESSORIES

Weep Vents [†] : 50 per box		
Terracotta	Grey	Beige
40.01	40.01	40.01
PVC-U Soffit Cladding [†] : Price per metre		
FC White	FC Brown	RC White
9.96	9.96	10.16
Stop Ends [†] : 50 per box		
C90	CL3	
79.34	79.34	
External Plaster Key		
PKS87		
79.92 per pack - 10 x 1.2m		



[†] These products are excluded from our BS ISO 9001 registration as they are not manufactured on Catnic premises.

www.catnic.com

Catnic Conditions of Sale can be downloaded from www.catnic.com

This price list supersedes all previous lists. All prices are for normal UK delivery, £ Sterling and exclusive of VAT. Catnic reserves the right to revise prices and product specifications described herein without prior notice.

Care has been taken to ensure that the contents of this publication are accurate, but Tata Steel Europe Limited and its subsidiaries do not accept responsibility or liability for errors or information that is found to be misleading.

© Copyright 2015 Tata Steel UK Limited.

Catnic
Pontypandy Industrial Estate
Caerphilly
CF83 3GL
T: 029 2033 7900
F: 029 2086 7796
www.catnic.com

English version



CLPL:3000:UK:06/2014